DEPARTMENT OF COMPUTER ENGINEERING

CMPE112: Programming Fundamentals

EXPERIMENT 5

Introduction to C Programming: 1-D and 2-D dimensional arrays

Objectives:

```
1) Understand how to edit, compile and execute C computer codes.
2) Understand C programming: 1-D and 2-D dimensional arrays.
      Before writing a computer code,
                                             you should do the
Note:
following steps:
                    1) understand and analyze the problem,
                                                                 2)
develop an algorithm and/or flowchart and 3) convert the
algorithm and/or the flowchart into a C code.
Task I: Trace section
Show the contents of the following array declarations.
a) int N1[5], N2[5];
   N1[2] = 4;
   N1[0] = N1[2];
   N2[4] = N1[0];
b) float prices[5]={1.25, 3.50, 1.20, 2.99, 0.75};
c) float prices[5]={1.25, 3.50};
d) int months[]={1,2,3,4,5,6,7,8,9,10,11,12};
e) int x[2][3] = \{1, 2, 3, 3, 2, 1\};
f) int y[2][3] = \{\{1, 2, 3\}, \{3, 2, 1\}\};
what is the output of
g) #include <stdio.h>
   void main()
   {int a[3][3] = \{1, 3, 5, 7, 9\};
    int i=0, j, sum=0;
    for(j=0; j < 3; j++)
      sum += a[1][j];
    printf("%d\n", sum);
    for(j=0; j < 3; j++)
      sum += a[j][i++];
    printf("%d\n", sum);
    ļ
Task II: Programming tasks
1) Consider the following code that finds the sum of elements of
the integer array A:
#include<stdio.h>
#include<math.h>
#define MAX 5
int main() {
int A[MAX], i, Sum=0;
cout << "Enter the element of the array A (5 elements): ";</pre>
for (i = 0; i < MAX; i++)
     scanf("%d",&A[i]);
```

```
Sum = 0;
for (i = 0; i < MAX; i++)
Sum += A[i];
printf("The sum is %d\n", sum);
return 0;}
a) Edit, compile and execute this code. Use the following
input values for array A elements: 3 2 4 1 5.
b) Modify the given code to find the average of the array A.
Note: The average is computed by as sum of elements/number
of elements
A sample run of the program must be as follows:
*** Program to claculate find the average of elements of an integer array ***
Enter the elements of the array A: 3 2 4 1 5
The average of the array A is 3.0.
```

- 2) Write one C program to do the following tasks:
 - a) Read the grades of 10 students from the keyboard. Store the grades in a one-dimensional array called "grade" of type integer.
 - b) Find the average of the grades
 - c) Find and print the maximum grade
 - d) Add to each students grades the following Bonus value: 100maximum
 - e) Print from the monitor the students new grades
- 3) Write a code that will do
 - a) Reads the elements of two matrices M1 and M2 with the size of two rows and three columns. And then finds the sum of the two matrices, i.e., C=M1+M2. Use the following input values for M1 and M2:

$$M1 = \begin{pmatrix} 1 & -5 & 3 \\ 2 & -1 & -3 \end{pmatrix}, M2 = \begin{pmatrix} 3 & 2 & 4 \\ -2 & -3 & 7 \end{pmatrix}$$

- b) Find and print the maximum element row of the matrix C?
- c) Find and print the average of each row of the matrix Result?

4) **Exercise** - Write a C code that will read the age of 10 students in a one dimensional array and then order the array in ascending order.

Use the following input: 23, 25, 18, 23, 16, 19, 22, 21, 27, and 18